

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2883	OFDM and (sort\$5 or class\$5 or typ\$5 or arrang\$5) and ((predetermin\$5 or set\$5 or program\$5 or fix\$5 or deci\$5) near\$5 time) and (align\$5 or arrang\$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/18 10:25
L2	0	OFDM and (sort\$5 or class\$5 or typ\$5 or arrang\$5) and ((predetermin\$5 or set\$5 or program\$5 or fix\$5 or deci\$5) near\$5 time) and (align\$5 or synchro\$10 or arrang\$5) and (time near\$5 (interval or period))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/18 10:28
L3	2044	OFDM and (sort\$5 or class\$5 or typ\$5 or arrang\$5) and ((predetermin\$5 or set\$5 or program\$5 or fix\$5 or deci\$5) near\$5 (time and (interval or period))) and (align\$5 or synchro\$10 or arrang\$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/18 10:29
L4	1842	3 and orthogonal\$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/18 10:31
L5	671	4 and MAC	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/18 10:31
L6	587	5 and (memor\$5 or buffer\$5 or storag\$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/18 10:32
L7	562	6 and (combin\$8 or joint\$5 or group\$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/18 10:33

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2883	OFDM and (sort\$5 or class\$5 or typ\$5 or arrang\$5) and ((predetermin\$5 or set\$5 or program\$5 or fix\$5 or deci\$5) near5 time) and (align\$5 or arrang\$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/18 10:25
L2	0	OFDM and (sort\$5 or class\$5 or typ\$5 or arrang\$5) and ((predetermin\$5 or set\$5 or program\$5 or fix\$5 or deci\$5) near5 time) and (align\$5 or synchro\$10 or arrang\$5) and (time near\$5 (interval or period))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/18 10:28
L3	2044	OFDM and (sort\$5 or class\$5 or typ\$5 or arrang\$5) and ((predetermin\$5 or set\$5 or program\$5 or fix\$5 or deci\$5) near5 (time and (interval or period))) and (align\$5 or synchro\$10 or arrang\$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/18 10:29
L4	1842	3 and orthogonal\$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/18 10:31
L5	671	4 and MAC	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/18 10:31
L6	587	5 and (memor\$5 or buffer\$5 or storag\$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/18 10:32
L7	562	6 and (combin\$8 or joint\$5 or group\$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/18 10:33

## EAST Search History

L24	107	22 and address\$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/18 10:57
L25	103	24 and laten\$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/18 10:58
L27	103	25 and bandwi\$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/18 10:59
L29	103	27 and ("230" or "235" or "394")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/18 11:01
L30	35	29 and @py<"2005"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/18 11:02

## EAST Search History

L8	441	7 and (receiv\$5 or transmit\$8) and address\$8	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/18 10:35
L9	175	8 and "370"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/18 10:35
L10	55	9 and @py<"2005"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/18 10:36
L11	366	8 and (common\$ or famil\$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/18 10:39
L12	172	11 and "370"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/18 10:39
L13	131	12 and ("230" or "235" or "395")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/18 10:39
L14	50	13 and @Py<"2006"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/18 10:40
L15	2130	OFDM and (sort\$5 or select\$5 or class\$5 or typ\$5 or arrang\$5) and ((predetermin\$5 or set\$5 or program\$5 or fix\$5 or deci\$5) near5 (time and (interval or period))) and (align\$5 or synchro\$10 or arrang\$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/18 10:47

## EAST Search History

L16	19792	(OFDM or orthogonal\$5) and (sort\$5 or select\$5 or class\$5 or typ\$5 or arrang\$5) and ((predetermin\$5 or set\$5 or program\$5 or fix\$5 or deci\$5) near5 (time and (interval or period))) and (align\$5 or synchro\$10 or arrang\$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/18 10:48
L17	1160	16 and MAC and (memor\$5 or buffer\$5 or stor\$8) and (combin\$8 or joint\$5 or group\$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/18 10:50
L18	936	17 and (common\$5 or famil\$5) and (receiv\$5 or transmit\$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/18 10:52
L19	606	18 and head\$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/18 10:54
L20	538	19 and plural\$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/18 10:55
L21	124	20 and (non near5 block\$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/18 10:56
L22	111	21 and "370"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/18 10:56
L23	107	22 and address	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/18 10:57

## EAST Search History

L8	441	7 and (receiv\$5 or transmit\$8) and addres\$8	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/18 10:35
L9	175	8 and "370"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/18 10:35
L10	55	9 and @py<"2005"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/18 10:36
L11	366	8 and (common\$ or famil\$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/18 10:39
L12	172	11 and "370"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/18 10:39
L13	131	12 and ("230" or "235" or "395")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/18 10:39
L14	50	13 and @Py<"2006"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/18 10:40
L15	2130	OFDM and (sort\$5 or select\$5 or class\$5 or typ\$5 or arrang\$5) and ((predetermin\$5 or set\$5 or program\$5 or fix\$5 or deci\$5) near5 (time and (interval or period))) and (align\$5 or synchro\$10 or arrang\$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/18 10:47